

























 **Frigeria**<sup>®</sup> S.r.l.  
a drinking pleasure



## Accessories - Home&Office 2015

	MODEL	DESCRIPTION
	<b>TOTEM 3</b>  <b>Cod.Art.</b> <b>4A4022</b>	Tower Totem 3 ways, mechanical dispensing system with push buttons. Made in Italy
	MODEL	DESCRIPTION
	<b>Mixer 5M</b>  <b>Cod.Art.</b> <b>4A4035</b>	Mechanical 5 ways mixer . Made in Italy
	MODEL	DESCRIPTION
	<b>Mixer 4</b>  <b>Cod.Art.</b> <b>4A4033</b>	Mechanical 4 ways mixer. Made in Italy
	MODEL	DESCRIPTION
	<b>Mixer 3</b>  <b>Cod.Art.</b> <b>4A4038</b>	Mechanical 3 ways mixer. Made in Italy
	MODEL	DESCRIPTION
	<b>EASY 3</b>  <b>Cod.Art.</b> <b>4A4040</b>	Mechanical 3 ways tap. Made in Italy
	MODEL	DESCRIPTION
	<b>EASY 2</b>  <b>Cod.Art.</b> <b>4A4043</b>	Mechanical 2 ways tap. Made in Italy
	MODEL	DESCRIPTION
	<b>TAP</b> <b>ZEUS</b>  <b>Cod.Art.</b> <b>4A4050</b>	Mechanical 3 ways tap. Made in Italy










## Reverse Osmosis Accessories- Price List 2015

	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>VESSEL FOR MEMBRANE</b>  Cod.Art. 2A2076	Vessel for membrane 1812.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>MEMBRANE 150</b> Cod.Art. 2A2077	Membrane 150 GPD for osmosis
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>MEMBRANE 180</b> Cod. Art. 2A2075	Membrane 180 GPD for osmosis
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>GAUGE</b>  Cod.Art. 2A2078	40mm diameter gauge with glycerine.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>PRESSURE SWITCH</b>  Cod.Art. 2A2079	Maximum pressure switch with connection for 1/4".
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>SEDIMENT FILTER</b>  Cod.Art. 2A2070	Sediment filter 12" for osmosis.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>CARBON FILTER</b>  Cod.Art. 2A2071	Carbon filter 12" for osmosis.










	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>NON RETURN VALVE</b>	Cod.Art. : FRACHV0606M Ø6 X Ø6
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>REGULATOR TDS</b> <b>Cod.Art. 2A2080</b>	Needle brass valve.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>TAP</b> <b>Cod.Art. 2A2081</b>	Water tap with 3/8" inlet.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>FITTING</b> <b>Cod.Art. 2A2083</b>	Exhaust fitting 1/4" attack.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>1 WAY TAP</b> <b>Cod.Art. 4A4041</b>	1 way tap with hand grip
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>2 WAY TAP</b> <b>Cod.Art. 4A4042</b>	2 ways tap with hand grips
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>3 WAY TAP</b> <b>Cod.Art. 4A4050</b>	3 ways mechanical tap. Made in Italy
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>RACCORDO</b> <b>Cod.Art. 2A2085</b>	Inlet fitting with 3/4" – 3/8" attack .

	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>ELECTRIC VALVE</b>  <b>Cod.Art. 2A2086</b>	Inlet electric valve with 3/4" . Made in Italy
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>CONTROL UNIT</b>  <b>Cod.Art. 2A2087</b>	Control unit for anti-flooding and flushing . Made in Italy





## HoReCa Accessories 2015

	MODEL	DESCRIPTION
	MILANO 1 Cod.Art. 4A4044	Tower MILANO 1 way CHROME plated, <b><u>WITH TAP AND SPACE RING</u></b> , with tube and recirculation item.
	MODEL	DESCRIPTION
	MILANO 2 Cod.Art. 4A4045	Tower MILANO 2 ways CHROME plated, <b><u>WITH TAP AND SPACE RING</u></b> , with tube and recirculation item.
	MODEL	DESCRIPTION
	MILANO 3 Cod.Art. 4A4046	Tower MILANO 3 ways CHROME plated, <b><u>WITH TAP AND SPACE RING</u></b> , with tube and recirculation item.
	MODEL	DESCRIPTION
	MILANO 1 Cod.Art. 4A4047	Tower MILANO 1 way CHROME plated, <b><u>WITH TAP AND PLAQUE HOLDER</u></b> in plastic complete with tubes and recirculation item.
	MODEL	DESCRIPTION
	MILANO 2 Cod.Art. 4A4048	Tower MILANO 2 ways CHROME plated, <b><u>WITH TAP AND PLAQUE HOLDER</u></b> in plastic complete with tubes and recirculation item
	MODEL	DESCRIPTION
	MILANO 3 Cod.Art. 4A4049	Tower MILANO 3 ways CHROME plated, <b><u>WITH TAP AND PLAQUE HOLDER</u></b> in plastic complete with tubes and recirculation item
	MODEL	DESCRIPTION
	MILANO 1 Cod.Art. 4B4017	Tower MILANO 1 way CHROME plated, <b><u>WITHOUT TAP</u></b> , complete with tubes and recirculation item
	MODEL	DESCRIPTION
	MILANO 2 Cod.Art. 4B4019	Tower MILANO 2 wayS CHROME plated, <b><u>WITHOUT TAP</u></b> , complete with tubes and recirculation item
	MODEL	DESCRIPTION
	MILANO 3 Cod.Art. 4B4021	Tower MILANO 3 ways CHROME plated, <b><u>WITHOUT TAP</u></b> , complete with tubes and recirculation item





## HoReCa Accessories 2015

	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>COLONNA INOX DISPLAY</b>  <b>Cod.Art. 4A4025</b>	3 ways INOX tower with DISPLAY and control system for ambient, cold and sparkling water dispensing. Tube included and electronic liter counter and stainless steel drop tray 30x10 cm
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>PITONE</b> <b>Cod.Art. 1A1001</b>	PITONE with 2 recirculation tubes and 3 tubes suitable for towers and machines.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>CO2</b> <b>Cod.Art. 2C2071</b>	Chrome plated brass tap designed for CO2 water with compensator, stainless steel spout, connection $\varnothing$ 5/8" x 35 mm.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>ITL</b> <b>Cod.Art. 2B2038</b>	ITL tap chromes-brass mase balancer stainless steel spout threaded tube $\varnothing$ 5/8" x 35 mm.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Seltz 5 GUN</b> <b>Cod.Art. 4A4039</b>	Seltz 5 mechanical ways gun.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2B2089</b>	Chromed rounded plaque holder with space 5/8"
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2B2089/P</b>	Chromed rounded plaque holder with space 5/8" in plastic
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2B2090</b>	Chromed rounded plaque holder with space 5/8" and 50 mm extension.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2B2087</b>	Chromed space ring for tap 20 mm

## Accessories - HoReCa 2015

	MODEL	DESCRIPTION
	<b>Cod.Art.</b> <b>2C2030</b>	Stainless steel drop tray with stainless steel grill 15x22
	MODEL	DESCRIPTION
	<b>Cod.Art.</b> <b>2C2031</b>	Stainless steel drop tray with stainless steel grill 40x22
	MODEL	DESCRIPTION
	<b>Cod.Art.</b> <b>2C2034</b>	Stainless steel drop tray with stainless steel grill 40x22 shaped Ø 130
	MODEL	DESCRIPTION
	<b>Cod.Art.</b> <b>2C2040</b>	Stainless steel drop tray with stainless steel grill 30x18

## Fountain accessories 2015



	MODEL	DESCRIPTION
	<b>GLASS FILLER STANDARD Cod.Art.</b> <b>2A2001</b>	Glass filler mod. STANDARD (h 295mm) with handle
	MODEL	DESCRIPTION
	<b>GLASS FILLER EXPORT Cod.Art.</b> <b>2A2002</b>	Glass filler mod. EXPORT (h 343mm) with push button.
	MODEL	DESCRIPTION
	<b>GFP Cod.Art.</b> <b>GFP</b>	Drinking water fountain with Glass Filler controlled with FOOT PEDAL ( suitable only for RC models). Suitable also with push button tap control or with manual controlled Glass Filler.
	MODEL	DESCRIPTION
	<b>GF Cod.Art.</b> <b>GF</b>	Drinking water fountain with manual controlled Glass Filler (models RC aRS)



## Filters and Sterilizers 2015

	<b>MODEL</b>	<b>DESCRIPTION</b>
	<p style="text-align: center;"><b>PROFINE SILVER</b></p> <p style="text-align: center;"><b>Cod.2A2005</b></p>	<p>Filter kit PROFINE SILVER with head and filter cartridge with ACTIVATED CARBON (aut. 10.000 lt)</p>
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<p style="text-align: center;"><b>MP0750SI</b></p> <p style="text-align: center;"><b>Cod.Art. 2A2006</b></p>	<p>Complete kit of MULTIPURE filter Mod. MP750SI with stainless steel container for STRATIFIED cartridge. Chemical, physical and mechanical action (aut. 3.000 lt)</p>
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<p style="text-align: center;"><b>UV107</b></p> <p style="text-align: center;"><b>Cod.Art. 2A2039</b></p>	<p>UV Sterilizer Mod. UV 107 12 W, max. capacity 300 (2,5 l/min), life of lamp 5000 hours with charger. Dimensions L 300 mm - Ø 40 – Att 1/8". Made in Italy</p>
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<p style="text-align: center;"><b>UV403</b></p> <p style="text-align: center;"><b>Cod.Art. 2A2040</b></p>	<p>UV Sterilizer Mod. UV403 16 W, max capacity 600l/h (10 l/min), life of lamp 9000 hours with charger. Dimensions L 430 Ø60 – Att 1/2". Made in Italy</p>
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<p style="text-align: center;"><b>Filtering Box</b></p> <p style="text-align: center;"><b>Cod.Art.</b></p>	<p>Filtering box with the following accessories: UV lamp + filter with activated carbons + water pressure reducer + liter counter</p>
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<p style="text-align: center;"><b>PROFINE SILVER 10.000</b></p> <p style="text-align: center;"><b>Cod.2A2012</b></p>	<p>Filter kit PROFINE SILVER, with ACTIVATED CARBON (aut. 10.000 lt)</p>
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<p style="text-align: center;"><b>PROFINE SILVER 45.000</b></p> <p style="text-align: center;"><b>Cod.2A2062</b></p>	<p>Filter kit PROFINE SILVER with ACTIVATED CARBON for professional use (aut. 45.000 lt)</p>

## Filters and Sterilizers 2015

	MODEL	DESCRIPTION
	<b>CB6</b> <b>Cod.Art.</b> <b>2A2014</b>	Refill cartridge MULTIPURE with stratified system MOD. CB6, chemical physical and mechanical action (aut. 3000 lt)
	MODEL	DESCRIPTION
	<b>Cod.Art.</b> <b>2A2015</b>	Head for cartridge PROFINE filter with 2 connections for cables diam 8mm

## Filters and Sterilizers 2015

	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2059</b>	Sediment filter IN-LINE 5 mic. With gauge 1/4 female fittings and case in polypropylene
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2041</b>	UV Spare Lamp 12W (approx. Aut -9000 hours) for UV107 sterilizer
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2042</b>	UV Spare Lamp 16W (approx. aut ~ 9000 ore) for UV403 sterilizer.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2049</b>	Quartz tube lamp UV 12W .
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2050</b>	Quartz tube lamp UV 16W. .
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>2A2047 2A2048</b>	Lamp charger UV 12W S212T5.  Lamp charger 16W D287T5.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2021</b>	Digital liter counter with timer and water stop with sounding advisor for 1 machine
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2024</b>	Concentrated sanitizing detergent BIOSTREAM ZERO 250 ml bottle (up to 100 t of product) specific for water coolers
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2025</b>	Box with 100 strips BIOSTREAM ZEROTESR for post sanitization tests

## Line CO2 2015

	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2019</b>	Co2 pressure mini-reducer
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2C2042</b>	CO2 pressure reducer 4 ar 1 body, complete with fixing bracket, ball-tap and JG 3/8" fitting.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2C2073</b>	CO2 pressure reducer for single use bottle.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2C2055/M</b>	CO2 pressure reducer for single use bottle with low pressure indicator
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2C2076</b>	CO2 pressure reducer adapter from single use reducers to rechargeable one.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2018</b>	H2O pressure reducer with connector for gauge.
	<b>MODEL</b>	<b>DESCRIPTION</b>
	<b>Cod.Art. 2A2031</b>	Gauge for H2O pressure reducer

## Line CO2 2015

	MODEL	DESCRIPTION
	<b>Cod.Art. 2C2056</b>	CO2 rechargeable bottle, Kg.0,75 (Lt. 1,0) domestic use
	MODEL	DESCRIPTION
	<b>Cod.Art. 2C2020</b>	CO2 rechargeable bottle Kg.2 (Lt. 3,0) domestic use
	MODEL	DESCRIPTION
	<b>Cod.Art. 2C2021</b>	CO2 rechargeable bottle Kg.4 (5,4l) .
	MODEL	DESCRIPTION
	<b>Cod.Art. 2C2022</b>	CO2 rechargeable bottle Kg.10 (13,4l) .
	MODEL	DESCRIPTION
	<b>Cod.Art. 2C2075</b>	CO2 rechargeable bottle Kg.30 (Lt. 13,4) .
	MODEL	DESCRIPTION
	<b>Cod.Art. 2C2054</b>	Single use CO2 bottle Kg. 0,6